



GENEQ inc.
SCIENTIFIC INSTRUMENTS



GNSS/RTK Smart Antenna

- Trimble BD970 Motherboard
- Multi-constellation L1, L2, L5, GPS, GLONASS, BeiDou, Galileo
- 220 Channels
- 0°-30° Tilt Range
- Lightweight magnesium alloy body

Best value for your money on the market, including accessories, **data collector and software**



Data Collector - SXPad 1000P

- Windows Mobile 6.5
- 1 GHz Processor
- 3.7 in. Screen
- Camera
- Bluetooth/Wi-Fi
- Modem

[Data Collector can be sold separately]

1-800-463-4363 | 514-354-2511

info@geneq.com | www.geneq.com

10700 Secant St., Montreal (Quebec), H1J 1S5 Canada



Rugged GPS Data Collector - SXPad 1000P

- 1GHz Processor
- Windows Mobile 6.5
- 72 Channels
- 3.7 in. Screen
- GPS, BeiDou, GLONASS
- Camera, Bluetooth, USB, Wi-Fi
- RFID 13.56 MHz (optional)

Supports:

- SurPad
- MicroSurvey FieldGenius
- Carlson SurvCE

Radios



HXDU1603D

- Mobile Radio 2 W
- GPS / 3G / UHF / Bluetooth
- Frequency: 410-470 MHz



DU8608D

- 35 W Radio Modem
- Frequency: 410-470 MHz
- Communication Protocol: TrimTalk 450S, TrimMark3, TRAN EOT
- Dimensions: 186 x 140 x 73 mm
- Weight: 1.37 kg

Accessories



2.4 m Telescopic Pole

Carbon Fiber



Wood Tripod

Double Locking System

Mini GNSS receiver

- Built-In Antenna
- GPS, GLONASS, BeiDou
- 372 channels
- CORS Accuracy 10 to 30 cm



Laser Scanner - X300

- Best value for your money on the market
- 2 x 5 MP integrated cameras
- Maximum range: 300 m
- Accuracy: 6 mm at 50 m
- Protection IP65

Compatible with
VisionLidar software



LASER
TECHNOLOGY



Distance Meter - E-7500i

- Bluetooth smart 4.0
- 4 Measuring modes
- Accuracy: 1.6 mm
- Range: 200 m

Distance Meter - D810 Touch

- Touch screen
- Bluetooth
- 15 Measuring modes
- Accuracy: 1.6 mm
- Range: 180 m
- "Measure in Picture" Technology

Laser Rangefinder - TruPulse 360

- Range
- Inclination
- Height



SXBlue GNSS High Accuracy Receivers



Model: SXBlue GNSS

- L1 Frequency
- Bluetooth and RS-232
- Real-time Accuracy: 30-60 cm
- GPS, GLONASS, SBAS



Model: iSXBlue II+ GNSS

- L1 Frequency
- Bluetooth, mini USB and RS-232
- Real-time accuracy: 30-60 cm
- Windows – Android – Apple
- GPS, GLONASS, SBAS



Model: SXPro RTK

- All in one GNSS Receiver
- L1/L2 RTK
- Real-time centimeter accuracy
- Outdoor-viewable 3.7 in. VGA touchscreen
- Internal and external antenna



Model: SXBlue III+ GNSS

- L1 / L2 / Frequency - RTK
- Bluetooth, mini USB and RS-232
- Real-time centimeter accuracy
- Windows – Android
- GPS, GLONASS, SBAS

Rugged Tablets



Model: SXTab 10W

- Intel Cherry Trail Z8300 1.44Ghz-1.86Ghz
- Windows 10 ou Android 5.1
- Écran 10 po.

Model: SXTab 8W

- Intel Cherry Trail Z8300 1.44Ghz-1.86Ghz
- Windows 10 ou Android 5.1
- Écran 8 po.



GENEQ inc.
SCIENTIFIC INSTRUMENTS

1-800-463-4363 | 514-354-2511
info@geneq.com | www.geneq.com
10700 Secant St., Montreal (Quebec), H1J 1S5 Canada